

PATENT COOPERATION TREATY

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Commissioner
 US Department of Commerce
 United States Patent and Trademark
 Office, PCT
 2011 South Clark Place Room
 CP2/5C24
 Arlington, VA 22202
 ETATS-UNIS D'AMERIQUE
 in its capacity as elected Office

Date of mailing (day/month/year) 07 March 2001 (07.03.01)	
International application No. PCT/AU00/00726	Applicant's or agent's file reference 40443828rnm
International filing date (day/month/year) 27 June 2000 (27.06.00)	Priority date (day/month/year) 28 June 1999 (28.06.99)
Applicant ZIENTEK, Paul	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:
 25 January 2001 (25.01.01)

☐ in a notice effecting later election filed with the International Bureau on:

2. The election ☒ was
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer R. E. Stoffel Telephone No.: (41-22) 338.83.38
---	---

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

17 JUL 2001
 PCT

14

Applicant's or agent's file reference 40443828	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416).	
International Application No. PCT/AU00/00726	International Filing Date (<i>day/month/year</i>) 27 June 2000	Priority Date (<i>day/month/year</i>) 28 June 1999
International Patent Classification (IPC) or national classification and IPC Int. Cl. ⁷ B41M 5/24, 3/14, B42D 5/10, B44F 1/12		
Applicant SECURENCY PTY LTD et al		

1.	This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.																
2.	<p>This REPORT consists of a total of 4 sheets, including this cover sheet.</p> <p><input type="checkbox"/> This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of sheet(s).</p>																
3.	<p>This report contains indications relating to the following items:</p> <table border="0"> <tr> <td>I</td> <td><input checked="" type="checkbox"/> Basis of the report</td> </tr> <tr> <td>II</td> <td><input type="checkbox"/> Priority</td> </tr> <tr> <td>III</td> <td><input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability</td> </tr> <tr> <td>IV</td> <td><input checked="" type="checkbox"/> Lack of unity of invention</td> </tr> <tr> <td>V</td> <td><input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement</td> </tr> <tr> <td>VI</td> <td><input type="checkbox"/> Certain documents cited</td> </tr> <tr> <td>VII</td> <td><input type="checkbox"/> Certain defects in the international application</td> </tr> <tr> <td>VIII</td> <td><input type="checkbox"/> Certain observations on the international application</td> </tr> </table>	I	<input checked="" type="checkbox"/> Basis of the report	II	<input type="checkbox"/> Priority	III	<input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability	IV	<input checked="" type="checkbox"/> Lack of unity of invention	V	<input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement	VI	<input type="checkbox"/> Certain documents cited	VII	<input type="checkbox"/> Certain defects in the international application	VIII	<input type="checkbox"/> Certain observations on the international application
I	<input checked="" type="checkbox"/> Basis of the report																
II	<input type="checkbox"/> Priority																
III	<input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability																
IV	<input checked="" type="checkbox"/> Lack of unity of invention																
V	<input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement																
VI	<input type="checkbox"/> Certain documents cited																
VII	<input type="checkbox"/> Certain defects in the international application																
VIII	<input type="checkbox"/> Certain observations on the international application																

Date of submission of the demand 25 January 2001	Date of completion of the report 6 July 2001
Name and mailing address of the IPEA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustalia.gov.au Facsimile No. (02) 6285 3929	Authorized Officer M.J. O'ROURKE Telephone No. (02) 6283 2017

I. Basis of the report

1. With regard to the elements of the international application:*
- ☒ the international application as originally filed.
- ☐ the description, pages , as originally filed,
 pages , filed with the demand,
 pages , received on with the letter of
- ☐ the claims, pages , as originally filed,
 pages , as amended (together with any statement) under Article 19,
 pages , filed with the demand,
 pages , received on with the letter of
- ☐ the drawings, pages , as originally filed,
 pages , filed with the demand,
 pages , received on with the letter of
- ☐ the sequence listing part of the description:
 pages , as originally filed
 pages , filed with the demand
 pages , received on with the letter of
2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.
These elements were available or furnished to this Authority in the following language which is:
- ☐ the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).
3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:
- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished
4. ☐ The amendments have resulted in the cancellation of:
- ☐ the description, pages
- ☐ the claims, Nos.
- ☐ the drawings, sheets/fig.
5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**

* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).

** Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report

IV. Lack of unity of invention

1. In response to the invitation to restrict or pay additional fees the applicant has:

- ☐ restricted the claims.
- ☐ paid additional fees.
- ☐ paid additional fees under protest.
- ☐ neither restricted nor paid additional fees.

2. ☐ This Authority found that the requirement of unity of invention is not complied with and chose, according to Rule 68.1, not to invite the applicant to restrict or pay additional fees.

3. This Authority considers that the requirement of unity of invention in accordance with Rules 13.1, 13.2 and 13.3 is

- ☐ complied with.
- ☒ not complied with for the following reasons:

The international preliminary examination report has been drawn up in respect of the entire international application but the International Preliminary Examining Authority is of the opinion that the application does not appear to comply with the requirements of unity of invention as set forth in the PCT regulations (Article 34(3), Rule 68(1) PCT).

The separate groups of invention are:

1. Claims 1 to 18, which relate to a method of producing a security document or device using laser ablation to form an optically diffractive structure.
2. Claims 20 and 21, which relate to a method of producing a security document or device by causing photo-polymerisation by a light source to produce a polarisation state or pattern.

Claim 19 incorporates both of these groups of inventions.

Since the abovementioned groups of claims do not share any of the technical features identified, a "technical relationship" between the inventions, as defined in PCT rule 13.2 does not exist.

Accordingly the international application does not relate to one invention or to a single inventive concept, a priori.

All of the claims were searched in the International Search Report, and all claims could be examined without significant extra effort.

4. Consequently, the following parts of the international application were the subject of international preliminary examination in establishing this report:

- ☒ all parts.
- ☐ the parts relating to claims Nos.

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**1. Statement**

Novelty (N)	Claims 1 TO 21	YES
	Claims	NO
Inventive step (IS)	Claims 1 TO 21	YES
	Claims	NO
Industrial applicability (IA)	Claims 1 TO 21	YES
	Claims	NO

2. Citations and explanations (Rule 70.7)**Novelty and Inventive Step - Claims 1 to 21**

The following documents were cited in the International Search Report:

- US 5815292
- US 5801857
- DE 29805481
- JP 05-040936
- WO 95/26274
- DE 19642040
- EP 318770

These documents disclose security documents having diffractive structures and security devices formed from polarising material.

However, none of these documents disclose diffractive structures produced by ablation from patterned laser radiation, detectable surface effects generated by a photo-exposure process, or a polarisation state or pattern generated by photo-polymerisation.

Industrial Applicability- Claims 1 to 21

The invention of these claims is industrially applicable.

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
4 January 2001 (04.01.2001)

PCT

(10) International Publication Number
WO 01/00418 A1

(51) International Patent Classification⁷: **B41M 5/24**,
3/14, B42D 15/10, B44F 1/12

(74) Agent: **FREEHILLS CARTER SMITH & BEADLE**;
101 Collins Street, Melbourne, VIC 3000 (AU).

(21) International Application Number: **PCT/AU00/00726**

(22) International Filing Date: **27 June 2000 (27.06.2000)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:
PQ 1259 **28 June 1999 (28.06.1999) AU**

(71) Applicant (for all designated States except US): **SECURENCY PTY LTD [AU/AU]**; Hume Highway,
Craigieburn, VIC 3064 (AU).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **ZIENTEK, Paul**
[AU/AU]; 546 Station Street, North Carlton, VIC 3054
(AU).

(81) Designated States (national): **AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.**


(84) Designated States (regional): **ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).**

Published:

— With international search report.

[Continued on next page]

(54) Title: **METHOD OF PRODUCING A DIFFRACTIVE STRUCTURE IN SECURITY DOCUMENTS**



(57) Abstract: A method of producing a security document or device comprising a substrate and an optically diffractive device, the method comprising the step of: irradiating an area of the substrate (2) on one surface with patterned laser radiation to ablate selected portions of the surface and thereby form an optically diffractive structure in said one surface. A method of producing a security document or device comprising a substrate and an optically variable device, such as a means for creating polarisation patterns, the method comprising the step of: exposing an area of the substrate on one surface to a light source which causes photo-polymerisation of the substrate which in turn produces a polarisation state or pattern.

WO 01/00418 A1

WO 01/00418 A1



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

METHOD OF PRODUCING A DIFFRACTIVE STRUCTURE IN SECURITY DOCUMENTS

5 The present invention relates generally to a method of producing a security document or device, and in particular to security documents or devices which include an optically diffractive structure, or other visible or detectable effect such as a defraction grating or like device, or a polarisation pattern. The invention is applicable to the production of banknotes, and it will be convenient
10 to hereinafter describe the invention in relation to that exemplary application. It is to be appreciated, however, that the invention is not to be limited to that application.

 The practice of applying defraction gratings and like optically detectable diffractive and other structures to security documents and devices, such as credit
15 cards, bank notes and cheques, has become widely adopted. Currently, defraction gratings and other structures are produced in multi-layer thin films supported on thin carrier structures. The structures are then transferred from the thin film carrier substrate to the security document or device, typically by using a hot-stamping process. Reflective optical defraction devices conventionally
20 contain an ultra-thin vacuum metallised reflective layer, usually aluminium, adjacent to the diffractive structure within the multi-layer structure.

 A number of disadvantages are associated with the production and application of optically diffractive and other devices in this manner. Firstly, the complex and highly specialised process required to produce the multi-layer
25 optically diffractive device structure, which may contain at least four and frequently more layers, is costly. Secondly, an extra process step is required to transfer the optically diffractive device from the carrier substrate onto the security document or device. Thirdly, the resistance of the optically diffractive device as a whole to physical wear and tear and chemical attack is poor due to
30 the weakness of the vacuum metallised reflective layer.

 An aim of the present invention is to ameliorate or overcome one or more of the disadvantages of known methods for producing security documents or

- 2 -

devices including optically diffractive devices or other detectable effects such as polarisation patterns.

The present invention provides a method of producing a security document or device comprising a substrate and a detectable security device, the method comprising the step of:

exposing an area of the substrate on one surface to a photo-exposure process to generate a changed state in the surface of the substrate to produce a detectable effect in said surface, such as a polarisation pattern or an optically diffractive structure.

The present invention also provides a method of producing a security document or device comprising a substrate and a detectable security device, the method comprising the step of:

irradiating an area of the substrate on one surface with patterned laser radiation to ablate selected portions of the surface and thereby form an optically diffractive structure in said one surface.

In an alternative form, the invention provides a method of producing a security document or device comprising a substrate and a detectable security device, the method comprising the step of:

exposing an area of the substrate on one surface to a light source which causes photo-polymerisation of the substrate which in turn produces a polarisation state or pattern.

The present invention significantly simplifies the multi-layered structure of a security device when incorporated into the security document or device. The application of an optically diffractive or polarisation or like device may be easily integrated into the process of manufacture of the security document or device. Moreover, in those cases in which reflective optically diffractive or polarisation devices are used, it is possible to eliminate the use of a brittle metallised coating.

The method of producing a security document or device may further comprise the step of placing a mask in the path of the laser radiation to create said patterned laser radiation.

- 3 -

Conveniently, the substrate may be formed from a transparent plastics film. The transparent plastics film may be formed from polymeric material. The substrate may also be formed from paper, paper/polymer composites, coated paper and other non-transparent substrates in those cases where reflective diffraction devices were used.

In one embodiment, the substrate may further comprise a transparent coating applied to the transparent plastics film, the optically diffractive structure being formed in the transparent coating. The transparent coating may be formed from a polymeric material.

In one embodiment, the substrate may further comprise a reflective coating applied to the transparent coating. The reflective coating may be formed from polymeric material and may contain metallic pigment particles.

Conveniently, both the reflective coating and the transparent coating may be formed from material which is similarly resistant to physical degradation, such as by chemical attack.

In another embodiment, the substrate may further comprise a transparent layer applied to the transparent coating. The transparent layer may be formed from polymeric material. Conveniently, both the transparent layer and the transparent coating may be formed from material which is similarly resistant to physical degradation, for example by chemical means.

In a still further embodiment, this substrate may further comprise a reflective coating applied to the transparent plastics film, said optically diffractive structure being formed in the reflective coating. The reflective coating may be formed from polymeric material and may contain metallic pigment particles.

The substrate may further comprise a transparent coating applied to the reflective coating. The transparent coating may be formed from a polymeric material. The substrate may also be formed from paper, paper/polymer composites, coated paper and other non-transparent substrates in those cases where reflective diffractive structures are used. Both the reflective coating and

- 4 -

the transparent coating may be made of material which is similarly resistant to physical degradation, for example, by chemical means.

The method of producing a security document or device may further comprise the step of applying at least one opacifying layer to the substrate, said
5 at least one opacifying layer only partly covering a surface of the substrate to leave at least said optically diffractive device uncovered by said opacifying layer.

The method of the invention is alternatively able to be used to create other types of security devices that do not use the phenomenon of diffraction as
10 the basis for the visible optical pattern or effect that imparts security to the device and therefore to the documents that contain the device.

For example, it is possible to create an image in the substrate, or in the coating layers, of a security document that is only visible in polarised light.

In such a case, the image is not visible in normal un-polarised lighting
15 conditions, and only becomes visible when viewed in certain polarised lighting conditions. The polarisation state of the lighting conditions under which the image may be viewed can be either linear or circular polarisation. It is further possible to create the means for checking the device (ie. by observing its visible presence) under polarised lighting conditions on the security document itself by
20 providing the means for the polarised lighting conditions on the document itself. Such a device may be either a single multiple layer device, of which one of the layers may or may not be the substrate layer and the remaining layers would be coating layers applied in-line during the forming or printing process.

The following description refers in more detail to the various features of
25 the method for producing a security document or device according to the present invention. To facilitate an understanding of the invention, reference is made in the description to the accompanying drawings where the invention is illustrated in a number of preferred embodiments. It is to be understood, however, that the invention is not limited to the preferred embodiments as illustrated in the
30 drawings.

In the drawings:

Figure 1 is a schematic diagram illustrating steps involved in the method for producing a first embodiment of a security document including a reflective diffractive structure according to the present invention;

Figure 2 is a schematic diagram illustrating steps involved in the production of a second embodiment of a security document including a reflective diffractive structure according to the present invention;

Figure 3 is a schematic diagram illustrating steps involved in the production of a third embodiment of a security document including a reflective diffractive structure according to the present invention;

Figure 4 is a schematic diagram illustrating steps involved in the production of a first embodiment of a security document including a transmission diffractive structure according to the present invention;

Figure 5 is a schematic diagram illustrating steps involved in the production of a second embodiment of a security document including a transmission diffractive structure according to the present invention; and

Figure 6 is a schematic diagram illustrating steps involved in the production of a third embodiment of a security document including a transmission diffractive structure according to the present invention.

Referring now to Figure 1, there is shown a transparent plastics film 2 formed from polymeric material, used in the manufacture of polymer banknotes.

The substrate 2 may be made from at least one biaxially oriented polymeric film. The substrate may comprise a single layer of film of polymeric material, or, alternatively, a laminate of two or more layers of transparent biaxially oriented polymeric film. The substrate 2 is seen in cross section in Figure 1.

Whilst the invention will be described with reference to Figures 1 to 6 in relation to the production of polymer banknotes, it is to be appreciated that the invention may also be used in the production of credit cards, cheques and other security documents or devices, and that the function and properties of the substrate in those security documents or devices may vary.

In this example, a defraction grating or other optically diffractive device is formed on one surface 3 of the substrate 2 by eradiating an area of that

- 6 -

surface with pattern laser radiation. The patterning of the laser radiation incident on the one surface 3 of the substrate 2, may result from the placement of a mask in the path of the laser radiation. The mask 4 may have apertures 5 formed therein such that in those areas where the laser radiation passes through the mask, the light interacts with the surface layer of the substrate 2 in which the defraction grating is to be created, causing material to be ablated or otherwise removed to an appropriate depth in the surface layer of the substrate 2 and resulting in a three dimensional optically diffractive structure 6.

A reflective coating 7 is then applied to the obladed surface of the substrate 2. The reflective coating 7 may be a coated polymer layer, containing, for example, metallic pigment particles, or reflective particles, to perform a reflective function. The reflective layer 7 may be applied by conventional printing methods, and may fill the three dimensional structures formed by the laser oblotion of the surface 3 of the substrate 2. The coated polymer layer 7 acts as a binding matrix to hold the reflective particles, and provides the strength and flexibility required for the reflective layer to resist physical wear and tear, while the pigment particles may be formed from a material which is resistant to chemical attack.

When incident light 8 from a light source 9 is reflected to a user 10 the reflected light 11 is observed as being diffracted.

Opacifying layers 12 and 13 may be applied to one or more opposing faces of the coated substrate. The opacifying layers 12 and 13 may comprise any one or more of a variety of opacifying inks which can be used in the printing of banknotes or other security documents. For example, the layers of opacifying ink may comprise pigmented coatings comprising a pigment, such as titanium dioxide, dispersed within a binder or carrier of heat activated cross linkable polymeric material. Alternatively, the coated substrate may be sandwiched between opacifying layers of paper.

In order to view the diffractive effect caused by the optically diffractive device, at least a first region of a surface of the substrate 2 may be left uncovered by the opacifying layers.

- 7 -

Figure 2 illustrates a first variation of the method for producing a security document or device according to the invention. In this figure, the substrate 2 is initially coated with a transparent coating 20. The transparent coating 20 may be formed from a polymeric material.

5 Laser radiation, patterned by a mask 4, is then used to ablate selected portions of transparent coating 20, and to form therein a three dimensional optically diffractive structure 21. A reflective coating, identical to the reflective coating 7 applied to the substrate 2 in Figure 1, is then applied by conventional printing methods to the transparent coating 20. Both the transparent coating 20
10 and the reflective coating 22 may be formed from coated polymer material or other like material which is similarly resistant to physical degradation, such as by chemical attack. In this way, a counterfeiter wishing to recover the optically diffractive device by desolving or chemically etching the reflective layer 22, would also cause the desolving or chemical etching of the transparent coating 20
15 and the optically diffractive structure formed therein.

Once again, opacifying coatings may be applied to one or both surfaces of the coated substrate structure 2, 20, 22.

A second variant of the method illustrated in Figure 1 is shown in Figure 3. In this figure, one surface of the substrate 2 is firstly coated with a reflective
20 coating 25, identical to the reflective layer 7 in Figure 1. Laser radiation is then patterned by the mask 4 to ablate material from the reflective coating 25 to thus form a three dimensional optically diffractive structure 26 in the reflective coating 25.

Subsequently, a transparent coating 27 is applied to the reflective coating
25 25. The transparent coating 27 may fill the three dimensional structure formed in the reflective layer 25. Once again, the reflective coating 25 and the transparent coating 27 may be made from material which is similarly resistant to chemical attack or other physical degradation, in order to prevent the optically diffractive structure 26 from being recovered by a counterfeiter.

30 Whilst Figures 1 to 3 illustrate examples of a method of producing a security document including a reflective diffractive device, Figures 4 to 6

provide examples of a method of producing a security document including a transmission diffractive device. In Figure 4, one surface of the transparent polymeric film 2 is ablated by laser radiation passing through a mask 4, to form therein the same optically diffractive device 6 illustrated in Figure 1. However, 5 in this example, no reflective layer is subsequently applied to the surface of the substrate 2, so that a defraction effect is observed by the user 10 when light 30 from the light source 9 is transmitted through the substrate 2.

As in previous examples, opacifying coatings 31 to 34 may be applied to opposing surfaces of the substrate 2, leaving uncovered regions or zones 35 and 10 36 to enable the light 30 transmitted through the optically diffractive structure formed in the substrate 2.

In a first variation of this method, as illustrated in Figure 5, an optically diffractive device 6 is once again ablated into a surface of the transparent substrate film 2. Subsequently, a clear coating layer 40 of different refractive 15 index to the substrate film 2, is applied to the surface of the substrate 2. The transparent coating 40, as in previous examples, fills the three dimensional diffractive device 6, and prevents wearing of optically diffractive structure 6. The defraction effect produced by the structure 6 may once again be observed in light transmitted through the substrate and transparent coating.

20 In method 6, there is illustrated a second variation of the method for producing a security document including a transmission diffractive structure. In this figure, the transparent plastics substrate 2 is firstly coated with a clear coating 45 formed from a transparent polymeric material. A diffractive structure 46 is ablated into the clear coating 45 by means of incident patterned 25 laser radiation. A transparent layer 47 is then coated onto the transparent coating 45 filling the diffractive structure 46 formed therein. The transparent layer 47 and the transparent coating 45 are formed from materials having different refractive indexes, in order that a defraction effect may be observed when light is transmitted through the security device. Where the method does 30 not include transparent layer 47, the resulting document still functions as described above.

- 9 -

The device described in this example/embodiment of the invention relies on the ability to pattern the polarisation state of the material that constitutes one of the layers of the device. This applies to the layer which contains the viewable image and also in the case of the layer(s) which would act as the polarisation filters for creating the polarised lighting conditions under which the image of the device can be viewed. Specifically, a UV photo-polymerisable material is used in the layer(s) where the polarisation state is patterned. A polarisation state is created by aligning the molecular structure of the material, which is achieved by exposing the material to a UV light source such as a laser or a conventional UV lamp. The photo-exposure creates a molecular state with a specific polarisation state that is "fixed" by the photo-polymerisation process. The patterning of the polarisation states is achieved by masking the UV light source to create the different polarisation states spatially across the device.

Various specific configurations of the equipment required to do this are possible. For example the light source may be a UV laser or a conventional UV lamp. Similarly a single or multiple step masking process may be used to create the various polarisation states required in the different spatial regions on across the device.

In this embodiment of the invention, the appropriate layers are applied during the substrate opacification process. During this process, the layer(s) which require polarisation are exposed to the UV laser or other UV light source shortly after they have been applied in order to "fix" them into the appropriate polarisation state.

The process of creating the desired polarisation state in the substrate or coating is similar to the above described process of creating a diffractive structure with the exception that conventional UV lamps may replace the UV laser source referred to in that description.

It will be appreciated that the methods described in Figures 1 to 6 may be easily integrated into the normal multi-step process during which a substrate is coated or otherwise treated, to produce a security document or device, the laser process merely being integrated into this multi-step process. This method, and

- 10 -

the security document or device including an optically diffractive device produced by this method, eliminate the need for a separate manufacturing process to produce an optically diffractive device transfer foil and the separate hot stamp foil transfer process to transfer that diffractive device transfer foil to the product.

The method according to the present invention is capable of producing either reflective or transmissive optically diffractive devices, such as reflective optically variable devices or a transmission hologram.

Finally, it should be appreciated that modifications and/or alterations may be made to the method and security document or device without departing from the ambit of the present invention.

CLAIMS

1. A method of producing a security document or device comprising a substrate and an optically diffractive device, the method comprising the step of:
5 irradiating an area of the substrate on one surface with patterned laser radiation to ablate selected portions of the surface and thereby form an optically diffractive structure in said one surface.
2. A method of producing a security document or device according to claim
10 1, the method further comprising the step of:
placing a mask in the path of the laser radiation to create said patterned laser radiation.
3. A method of producing a security document or device according to either
15 one of claims 1 or 2, wherein the substrate includes a transparent plastics film.
4. A method of producing a security document or device according to claim
3, wherein the transparent plastics film is formed from polymeric material.
- 20 5. A method of producing a security document or device according to either one of claims 3 or 4, wherein the substrate further includes a transparent coating applied to the transparent plastics film, the optically diffractive structure being formed in the transparent coating.
- 25 6. A method of producing a security document or device according to claim 5, wherein the transparent coating is formed from polymeric material.
7. A method of producing a security document or device according to either
one of claims 5 or 6, wherein the substrate further includes a reflective coating
30 applied to the transparent coating.

- 12 -

8. A method of producing a security document or device according to claim 7, wherein the reflective coating is formed from polymeric material containing metallic pigment particles.

5 9. A method of producing a security document or device according to either one of claims 7 or 8, wherein both the reflective coating and the transparent coating may be formed from material which is similarly resistant to physical degradation.

10 10. A method of producing a security document or device according to either one of claims 5 or 6, wherein the substrate further includes a transparent layer applied to the transparent coating.

11. A method of producing a security document or device according to claim 15 10, wherein the transparent layer is formed from polymeric material.

12. A method of producing a security document or device according to either one of claims 10 or 11, wherein both the transparent layer and the transparent coating are formed from material which is similarly resistant to physical 20 degradation.

13. A method of producing a security document or device according to either one of claims 3 or 4, wherein the substrate further includes a reflective coating applied to the transparent plastics film, said optically diffractive structure being 25 formed in the reflective coating.

14. A method of producing a security document or device according to claim 13, wherein the reflective coating is formed from polymeric material containing metallic pigment particles.

30


- 13 -

15. A method of producing a security document or device according to either one of claims 13 or 14, wherein the substrate further includes a transparent coating applied to the reflective coating.
- 5 16. A method of producing a security document or device according to claim 15, wherein the transparent coating is formed from a polymeric material.
17. A method of producing a security document or device according to either one of claims 15 or 16, wherein both the reflective coating and the transparent
10 coating are made of material which is similarly resistant to physical degradation.
18. A method of producing a security document or device according to any one of the preceding claims, the method further comprising the step of :
applying at least one opacifying layer to the substrate, said at least one
15 opacifying layer only partly covering a surface of the substrate to leave at least said optically diffractive device uncovered by said opacifying layer.
19. A method of producing a security document or device comprising a substrate and a detectable security device, the method comprising the step of:
20 exposing an area of the substrate on one surface to a photo-exposure process to generate a changed state in the surface of the substrate to produce a detectable effect in said surface, such as a polarisation pattern or an optically diffractive structure.
- 25 20. In an alternative form, the invention provides a method of producing a security document or device comprising a substrate and a detectable security device, the method comprising the step of:
exposing an area of the substrate on one surface to a light source which causes photo-polymerisation of the substrate which in turn produces a
30 polarisation state or pattern.

- 14 -

21. The method of claim 19 or 20 further including one or more of the steps or features as defined in any one of claims 2 to 18 when modified to refer to detectable security devices other than diffraction gratings, such as polarisation patterns.

5



III. 1.




FIG. 2.




FIG. 3.





Fig. 4.







FIG. 5.



III. 6 .

INTERNATIONAL SEARCH REPORT

International application No.
PCT/AU00/00726

A. CLASSIFICATION OF SUBJECT MATTER					
Int. Cl. ⁷ : B41M 5/24, 3/14, B42D 15/10, B44F 1/12					
According to International Patent Classification (IPC) or to both national classification and IPC					
B. FIELDS SEARCHED					
Minimum documentation searched (classification system followed by classification symbols) B41J 2/-, 3/-, B41M 3/14, 5/24, B42D 15/00, 15/10, 209:00, 217:00, B44F 1/12,					
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched					
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) DWPI					
C. DOCUMENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.			
X	US 5815292 A (WALTERS) 29 September 1998 Whole document	1 to 19			
X	WO 95/26274 A (IND AUTOMATION INTEGRATORS BV) 5 October 1995 Whole document	1 to 19			
X	EP 892362 A (GAO GES AUTOMATION & ORG MBH) 20 January 1999 Whole document	1 to 19			
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C <input checked="" type="checkbox"/> See patent family annex					
<table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> <p>* Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier application or patent but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </td> <td style="width: 33%; vertical-align: top;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&" document member of the same patent family</p> </td> <td style="width: 33%;"></td> </tr> </table>			<p>* Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier application or patent but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p>	<p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&" document member of the same patent family</p>	
<p>* Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier application or patent but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p>	<p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&" document member of the same patent family</p>				
Date of the actual completion of the international search 13 October 2000		Date of mailing of the international search report 20 OCT 2000			
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaaustralia.gov.au Facsimile No. (02) 6285 3929		Authorized officer M.J. O'ROURKE Telephone No : (02) 6283 2017			

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU00/00726

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DE 29805481 U1 (LEONHARD KURZ GMBH & CO) 24 September 1998 Whole document	1 to 19
X	Patent Abstracts of Japan, P-1563, page 83 JP 5-40936 A (TOPPAN PRINTING CO LTD) 19 February 1993 Whole document	1 to 19
A	DE 19642040 C1 (SCHREINER ETIKETTEN & SELBSTKLEBETECHNIK GMBH & CO) 15 January 1998 Whole document	1 to 19
A	EP 318770 A (SVECIA ANTIQUA SA) 7 June 1989 Whole document	19 to 21

INTERNATIONAL SEARCH REPORT

International application No.
PCT/AU00/00726

Box I Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos :
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☐ Claims Nos :
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:

3. ☐ Claims Nos :
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a)

Box II Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

See extra sheet

1. ☒ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:

4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☒ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU00/00726

Supplemental Box

(To be used when the space in any of Boxes I to VIII is not sufficient)

Continuation of Box No: II

The different inventions are as follows:

1. Claims 1 to 18 relate to a method of producing a security document or device using laser ablation to form an optically diffractive structure.
2. Claims 20 and 21 relates to a method of producing a security document or device by causing photo-polymerisation by a light source to produce a polarisation state or pattern.

Claim 19 incorporates both of these groups of inventions.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.
PCT/AU00/00726

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report			Patent Family Member				
US	5815295	NIL					
WO	95/26274	EP	748286	NL	9400498	US	5975583
EP	892362	AU	63708/90	CA	2026542	DE	3932505
		JP	03-185485	SG	46291	US	5801857
DE	29805481	NIL					
JP	05-049275	NIL					
DE	19642040	AU	46169/97	EP	866750	NO	982560
		US	6066437	WO	98/16397		
EP	318770	JP	01-200205	SE	8704791	US	5004327
END OF ANNEX							